

Altogether this report from NCRP fulfils a long felt need for guidelines for researchers in ultrasonography.

I recommend this book for those who are in the teaching profession of ultraso-

nography and its physical aspects. This would be a great reference book for those who have to set standards of ultrasound machine during its manufacture as well as for the regulatory

agencies.

K. SASIDHARAN

*Regional Cancer Centre,
Thiruvananthapuram 695 011, India*

Erratum

In the column 'In this issue' (Vol. 64, Number 7) on page 445 there is a misprint regarding the year of the death of Dr Kothari. Please read 1993 instead of 1983.



COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH (CSIR)

Rafi Marg, New Delhi 110 001

Position: *Director, Central Building Research Institute (CBRI), Roorkee.*

CSIR, the premier agency established by the Govt. of India to undertake scientific and industrial research in the country, is looking for a scientist/technologist for the post of Director for its Central Building Research Institute (CBRI), Roorkee. The institute provides S&T back up to the building and construction industry. The appointment to the post will be initially on contract for a period of six years in the pay scale of Rs 5900-200-7300.

For further details, please contact Director-General, CSIR, Rafi Marg, New Delhi 110 001 (Fax - 3710618, Telex - 031-65202 CSIR IN, 031-66147 CSIR IN, Gram - CONSEARCH, NEW DELHI).