

the channel. The occurrence of terrace-like features in the upper slope area off Chilika Lake, may also suggest intensive slumping and slope erosion due to direct dumping of sediment when the sea level was at its lowest strandlines¹² along the coast.

Contour map indicates converging trend of contours up to northern edge of the sickle-shaped feature with high gradient depth pattern near the end of the traverse a-a' (Figure 2), beyond which it shows diverging trend following the coastline. This high gradient depth pattern and the northern edge of the sickle-shaped feature probably fall in the region of the southern boundary of the Mahanadi offshore basin.

1. Venkatarathnam, K., *Mar. Geol.*, 1970, **9**, 101–116.
2. Banerjee, A. and Sengupta, R., *Geol. Surv. India Spec. Publ.*, 1992, **29**, 163–170.
3. Mohapatra, G. P., Rao, B. R. and Biswas, N. R., *Geol. Surv. India Spec. Publ.*, 1992, **29**, 229–243.
4. Murthy, K. S. R., *Indian J. Earth Sci.*, 1989, **16**, 47–58.
5. Mohana Rao, K., Reddy, N. P. C., Premkumar, M. K., Raju, Y. S. N., Venkateswarlu, K. and Murthy, K. S. R., Proceedings of the International Seminar on Quaternary Sealevel Variation (INQUA Shoreline), Indian Ocean, Subcommittee (eds Victor Rajamanickam, G. V. and Tooley, M.), New Academic Press, New Delhi, 2000, pp. 116–124.
6. Mohana Rao, K., Victor Rajamanickam, G. V. and Rao, T. C. S., *Proc. Indian Acad. Sci.*, 1989, **98**, 59–87.
7. Shrivastava, R. L. and Rao, B. R., *J. Geol. Soc. India*, 1976, **17**, 401–404.
8. Subbarao, M., *Mar. Geol.*, 1964, **1**, 59–87.
9. Sengupta, R., Bhattacharya, S., Ram, R. S., Jain, V. K. and Mitra, S. K. I., *J. Geol. Soc.*, 1990, **62**, 27–37.
10. Murthy, K. S. R., in Proc. First Regional Geosas Workshop, Anna University, 1997, pp. 98–119.
11. Mohana Rao, K. and Rao, T. C. S., *J. Geol. Soc. India*, 1994, **44**, 685–689.
12. Vaz, G. G., *Curr. Sci.*, 1996, **71**, 240–241.
13. Chatterjee, A. B. and Goswamy, S. B., *Geographical Review of India*, 1966, 1–20.
14. Sengupta, R. et al., *Geol. Surv. India Spl. Publ.*, 1992, **29**, 135–143.
15. Fuloria, R. C., Pandey, R. N., Bharali, B. R. and Mishra, J. K., *Geol. Surv. India Spl. Publ.*, 1992, **29**, 255–265.

ACKNOWLEDGEMENTS. We thank the Director, National Institute of Oceanography, Goa for permission to publish this paper. We thank Ms T. Sridevi for drafting the figures. This is NIO contribution no. 3942.

Received 5 September 2005; revised accepted 14 March 2006

V. SUBRAHMANYAM*
K. S. R. MURTHY
A. S. SUBRAHMANYAM
K. MOHANA RAO
K. V. L. N. S. SARMA
N. P. C. REDDY
G. P. S. MURTY
D. KAMESWARI DEVI

Regional Centre,
National Institute of Oceanography,
176-Lawsons Bay Colony,
Visakhapatnam 530 017, India
*For correspondence.
e-mail: hkvandrapu@yahoo.com

Correction

The International Linear Collider: A new paradigm for doing science globally

Rohini Godbole

[*Curr. Sci.*, 2006, **90**, 893–894]

The budget estimate of TESLA was incorrectly mentioned as 3000 Billion Euros. It should read 3000 Million (i.e. 3 Billion) Euros. A factual error also needs correction. It was stated that Burt Richter prompted the formation of the International Linear Collider Technical Review Committee, whereas in fact it was David Burke who did this. Of course Burt Richter had been the driving force behind the only e^+e^- linear collider that has been built so far, viz. the SLC and indeed was one of the original proponents of International Collaboration on the LC Research and Development.